



ಸ್ಯ ಮುಕ್ತ ವಿಶ್ವವಿದ್ಯಾನಿಲಯ
ಮುಕ್ತಗಂಗೋತ್ರಿ, ಮೈಸೂರು-570006
ಇಂಜಿನಿಯರಿಂಗ್ ವಿಭಾಗ

No: KSOU/ES/94/2019-20

Date: 23.07.2020

ದರಪಟ್ಟಿ ಆಹ್ವಾನ ಪ್ರಕಟಣೆ

ವಿಷಯ: ವಿವಿಿನಿಯದ ದಮಯಂತಿ ಕಟ್ಟಡದಲ್ಲಿರುವ ಜ್ಞಾನವಾಣಿ ಸ್ಟುಡಿಯೋದಲ್ಲಿನ ಕೆಲವು ವಿದ್ಯುತ್ ಸಂಬಂಧ ಕಾರ್ಯವನ್ನು ನಿರ್ವಹಿಸಲು ದರಪಟ್ಟಿ ಆಹ್ವಾನದ ಬಗ್ಗೆ

ಉಲ್ಲೇಖ: ಮಾನ್ಯ ಕುಲಪತಿಗಳ ಅನುಮೋದನೆ ದಿನಾಂಕ: 22.07.2020

ವಿವಿಿನಿಯದ ದಮಯಂತಿ ಕಟ್ಟಡದಲ್ಲಿರುವ ಜ್ಞಾನವಾಣಿ ಸ್ಟುಡಿಯೋದಲ್ಲಿನ ಕೆಲವು ವಿದ್ಯುತ್ ಸಂಬಂಧ ಕಾರ್ಯವನ್ನು ನಿರ್ವಹಿಸಲು ಉದ್ದೇಶಿಸಲಾಗಿರುತ್ತದೆ. ಈ ಹಿನ್ನೆಲೆಯಲ್ಲಿ ಈ ಕೆಳಕಂಡ ನಮೂದಿಸಿರುವ ವಿವಿಧ ವಿದ್ಯುತ್ ಉಪಕರಣಗಳನ್ನು ಅಳವಡಿಸಲು ದರಪಟ್ಟಿಯನ್ನು ಆಹ್ವಾನಿಸಲಾಗಿದ್ದು ಸದರಿ ಕೆಲಸಗಳನ್ನು ನಿರ್ವಹಿಸಲು ವಿವಿಧ ಫರ್ಮ್/ ಏಜೆನ್ಸಿ ರವರಿಂದ ದರಪಟ್ಟಿಗಳನ್ನು ಆಹ್ವಾನಿಸಿ (ನಿಯಮಾನುಸಾರ ಚಾಲ್ತಿ ವರ್ಷದ ತೆರಿಗೆಗಳನ್ನು ಒಳಗೊಂಡಂತೆ) ನಮೂದಿಸಿ ಮೊಹರು ಮಾಡಿದ ಲಕೋಟಿಯ ಮೇಲೆ “ವಿವಿಿನಿಯದ ದಮಯಂತಿ ಕಟ್ಟಡದಲ್ಲಿರುವ ಜ್ಞಾನವಾಣಿ ಸ್ಟುಡಿಯೋದಲ್ಲಿನ ಕೆಲವು ವಿದ್ಯುತ್ ಕಾರ್ಯವನ್ನು ನಿರ್ವಹಿಸುವ ಸಂಬಂಧ ದರಪಟ್ಟಿ” ಎಂದು ನಮೂದಿಸಿ ಕುಲಸಚಿವರು, ಕರಾಮುವಿ, ಮೈಸೂರು ಇವರಿಗೆ ಖುದ್ದಾಗಿ/ಅಂಚೆ ಮೂಲಕ ದಿನಾಂಕ: 04.08.2020ರ ಒಳಗೆ ಸಲ್ಲಿಸಲು ಕೋರಲಾಗಿದೆ.

Dear Sir,

Subject: Electrical Supply Work and other accessories work at Damayanti Studio at KSOU Campus

1. Sealed competitive quotation is invited by the undersigned for the following items of work.

Sl. No	Product Description	Unit	Qty.	Rate ₹	Amount ₹
1	Supplying of 1.1 KV LT UG cable XLPE or Heat resistant PVC insulated, PVC extruded Inner sheath armoured UG LT cable as per IS-1554 (Part-1) or IS-7098 Part-1, Armouring strip thickness in average +5% and resistivity 14 Ohms/Kms (Max) as per IS-3975 Pg.40 Item no.6.4.6.	Mtr.	24		
2	Labour charges for laying of 1.1 KV class UG cable in existing trench GI pipe/ stoneware pipe /on wall / on pole as required. Pg.41 Item no. a) 6.5.2 b) 6.5.7	Mtr. Mtr.	20 4		
3	Digging of trench of 0.6m deep x 0.50 mtr wide refilling the trench to the required ground level and consolidating etc. complete.(As per Civil SR KSRB 1-2, P-7) Pg. 41 Item no. 6.6.2	Mtr.	20		
4	Supplying of on load change over switches 4 poles, AC-23A Duty, 415V, 50Hz, AC Supply. With all accessories. (SM Enclosure Sheet Metal Execution) Pg. 25/26 Item no. 5.12	Each	01		
5	Supplying and fixing miniature circuit breakers on existing MCB distribution boards using necessary fixing materials and 'C' Type curve, indicator ON/OFF, energy cross-3 with Short circuit breaking capacity of 10K and complete wiring as required confirming to IEC 60898. Pg. No. 27 Item no. 5.17.9	Each	02		

	Description	Unit	Qty.	Rate ₹	Amount ₹
6.	Supplying of box fitting, made out of CRCA Sheet metal body with locking type holder completely wired with HF Electronic Ballast, Operating voltage range from 180V to 265V, 50Hz AC power supply excluding Tube. Pg. No. 74 Item 13.26	Each	02		
7.	Supplying and fixing/replacing of fluorescent tube. Pg. No. 72 Item 13.12.1	Each	50		
8.	Supplying & Fixing of 230 Volts 20/40 watts starter for Fluorescent Lamp Pg. No. 76 Item 13.44	Each	30		
9.	Supplying and fixing of Electronic Ballast suitable for T8 Lamp with housing made of Pre-coated steel/PC, Operating voltage range from 180V to 265V. 50Hz AC power Supply flicker free warm start with over voltage protection, Inrush current protection, De-activated lamp protection & End of Lamp life protection with PF> 0.95 & TC(deg C) > 65 deg C. Operating voltage range from 180V to 265V, 50Hz AC power Supply. Pg. No. 73 Item 13.22.2	Each	25		
10	Fixing all types and all capacities of fluorescent /false ceiling / spot light / CFL / LED fittings indoor on the wall/ ceiling / rafters / girders using 23/0.0076" twin twisted PVC insulated wires, required Nos of round blocks and clamps. Pg. No. 79 Item 14.7.1	Each	02		
11.	Erection of single phase preventer / ammeters / including fixing selector switch / voltmeter / current operated earth leakage circuit breakers / voltage operated circuit breaker / above 100A fuse channel set (3 Nos) HRC fuses above 100A (3 Nos.) / Digital ammeter/digital volt meter/set of 3 indicating lamps / MCB / Relays /A-V selector switches including wiring using suitable capacity wires, bolts, nuts, screws. Pg. No. 80 Item 14.14	Each	02		
12.	Fixing of amps TPST/change over switch / contactor along with neutral link with screws, bolts, nuts and wiring using required capacity wires and circuit labelling. Pg. No. 81 Item 14.16.1	Each	01		
13.	Wiring for lighting/power circuit using one of FRLS PVC insulated 1100V grade, multistrand copper wire with low conductor resistance single core in open or concealed system of wiring with specified IS-694 confirming to latest amendments. Pg. No. 4/6 Item				
	a) 2.3.2	Mtr.	50		
	b) 2.3.3	Mtr.	70		
	c) 2.3.4	Mtr.	100		
				Total ₹	
				GST 12% ₹	
				TOTAL ₹	

2. Quoted Price:

- The tendered shall quote for items in the format of quotation attached;
- The specification should be drafted to permit the widest possible competition and at the same time present a clear statement of the required standards of workmanship, materials, and performances of the goods to be procured.

name and catalogue number should be avoided as far as possible, avoidable, they should be followed by the words 'or at

- lease equivalent .
- (d) All duties, taxes and other levies payable by the tendered (including tax on the finished goods) shall be included in the rate.
 - (e) The rates quoted for each item shall be fixed for the duration of the contract and shall not be subject to any adjustment.
 - (f) Rates for supply of partial quantity of an item are not acceptable.
 - (g) Corrections if any shall be made by crossing out, initialing, dating and rewriting.
 - (h) Cable of facsimile quotations are not acceptable.
3. Each tender must submit only one quotation
 4. Evaluation of quotations
 - (a) The purchaser will evaluate and compare the quotations determined to be substantially responsible i.e., which are properly signed, and conform to the terms and conditions and specifications in the following manger:
 - (b) The evaluation would be done for all the items put together. The items for which no rated have been quoted would be treated as Zero and the total amount would be computer accordingly. Purchaser will award the contract to the responsive tenderer, whose total cost for all the items put together is the lowest.
 5. Award of Contract:
 - (a) The purchaser will be award the contract to the tenderer whose quotation has been determined to be substantially responsible and who has offered the lowest price as per para 4 (b) above.
 - (b) The purchaser reserve the right at the time of contract award to increase or decrease the quantities of any or all of the items indicated in Para I 25% without any change in the unit price or any terms and conditions.
 - (c) Normal commercial warranty/guarantee if available shall be applicable to the supplied goods;
 - (d) Payment shall be made after the delivery of the goods and their acceptance.
 - (e) Notwithstanding the above, the purchaser reserves the right to accept or reject any quotations and to cancel the quotation process and reject all quotations at any time prior to the award of the contract.
 6. Last date and time of receipt of quotations:

You are requested to submit the sealed quotations super scribed on the envelope as "Quotations for the above due date on 04.08.2020 latest by 5.30 PM hours.

We look forward to receiving your quotations.

Registrar
KSOU, Mgm

Attachment: Schedule of Quotation Form

ಪ್ರತಿ:-

1. ವಿಶೇಷ ಅಧಿಕಾರಿಗಳು, ಮಾನ್ಯ ಕುಲಪತಿಗಳ ಕಾರ್ಯಾಲಯ ಕರಾಮುವಿ, ಮೈಸೂರು ರವರಿಗೆ ಮಾಹಿತಿಗಾಗಿ,
2. ಕುಲಸಚಿವರ ಆಪ್ತ ಸಹಾಯಕರು, ಕರಾಮುವಿ, ಮೈಸೂರು
3. ನಿರ್ದೇಶಕರು, ಐಟಿ ವಿಭಾಗ, ಕರಾಮುವಿ, ಮೈಸೂರು ರವರಿಗೆ ಈ ಪ್ರಕಟಣೆಯನ್ನು ವಿವಿಿನಿಯದ ಅಧಿಕೃತ ವೆಬ್‌ಸೈಟ್ ನಲ್ಲಿ ದಿನಾಂಕ 04.08.2020 ರವರೆಗೆ ಪ್ರಟಿಸಲು ತಿಳಿಸಲಾಗಿದೆ.
4. ಕಛೇರಿ ಪ್ರತಿ.

Registrar

Karnataka State Open University
Mukthagangotri, Mysuru – 06.

Dear Sir,

Subject: Electrical Supply Work and other accessories work at Damayanti Studio at KSOU Campus

Sealed competitive quotation are invited by the undersigned for the following items of work.

Sl. No	Product Description	Unit	Qty.	Rate ₹	Amount ₹
1	Supplying of 1.1 KV LT UG cable XLPE or Heat resistant PVC insulated, PVC extruded Inner sheath armoured UG LT cable as per IS-1554 (Part-1) or IS-7098 Part-1, Armouring strip thickness in average +5% and resistivity 14 Ohms/Kms (Max) as per IS-3975 Pg.40 Item no.6.4.6.	Mtr.	24		
2	Labour charges for laying of 1.1 KV class UG cable in existing trench GI pipe/ stoneware pipe /on wall / on pole as required. Pg.41 Item no. a) 6.5.2 b) 6.5.7	Mtr. Mtr.	20 4		
3	Digging of trench of 0.6m deep x 0.50 mtr wide refilling the trench to the required ground level and consolidating etc. complete.(As per Civil SR KSRB 1-2, P-7) Pg. 41 Item no. 6.6.2	Mtr.	20		
4	Supplying of on load change over switches 4 poles, AC-23A Duty, 415V, 50Hz, AC Supply. With all accessories. (SM Enclosure Sheet Metal Execution) Pg. 25/26 Item no. 5.12	Each	01		
5	Supplying and fixing miniature circuit breakers on existing MCB distribution boards using necessary fixing materials and 'C' Type curve, indicator ON/OFF, energy cross-3 with Short circuit breaking capacity of 10K and complete wiring as required confirming to IEC 60898. Pg. No. 27 Item no. 5.17.9	Each	02		
6.	Supplying of box fitting, made out of CRCA Sheet metal body with locking type holder completely wired with HF Electronic Ballast, Operating voltage range from 180V to 265V, 50Hz AC power supply excluding Tube. Pg. No. 74 Item 13.26	Each	02		
7.	Supplying and fixing/replacing of fluorescent tube. Pg. No. 72 Item 13.12.1	Each	50		
8.	Supplying & Fixing of 230 Volts 20/40 watts starter for Fluorescent Lamp Pg. No. 76 Item 13.44	Each	30		
9.	Supplying and fixing of Electronic Ballast suitable for T8 Lamp with housing made of Pre-coated steel/PC, Operating voltage range from 180V to 265V. 50Hz AC power Supply flicker free warm start with over voltage protection, Inrush current protection, De-activated lamp protection & End of Lamp life protection with PF> 0.95 & TC(deg C) > 65 deg C. Operating voltage range from 180V to 265V, 50Hz AC power Supply. Pg. No. 73 Item 13.22.2	Each	25		

	Description	Unit	Qty.	Rate ₹	Amount ₹
10	Fixing all types and all capacities of fluorescent /false ceiling / spot light / CFL / LED fittings indoor on the wall/ ceiling / rafters / girders using 23/0.0076" twin twisted PVC insulated wires, required Nos of round blocks and clamps. Pg. No. 79 Item 14.7.1	Each	02		
11.	Erection of single phase preventer / ammeters / including fixing selector switch / voltmeter / current operated earth leakage circuit breakers / voltage operated circuit breaker / above 100A fuse channel set (3 Nos) HRC fuses above 100A (3 Nos.) / Digital ammeter/digital volt meter/set of 3 indicating lamps /MCB / Relays /A-V selector switches including wiring using suitable capacity wires, bolts, nuts, screws. Pg. No. 80 Item 14.14	Each	02		
12.	Fixing of amps TPST/change over switch / contactor along with neutral link with screws, bolts, nuts and wiring using required capacity wires and circuit labelling. Pg. No. 81 Item 14.16.1	Each	01		
13.	Wiring for lighting/power circuit using one of FRLS PVC insulated 1100V grade, multistrand copper wire with low conductor resistance single core in open or concealed system of wiring with specified IS-694 confirming to latest amendments. Pg. No. 4/6 Item				
	a) 2.3.2	Mtr.	50		
	b) 2.3.3	Mtr.	70		
	c) 2.3.4	Mtr.	100		
				Total ₹	
				GST 12% ₹	
				TOTAL ₹	

Gross Total Cost Rs. _____ (in figures)

Rs. _____ (in words)

We agree to execute the above said work in accordance with the technical specifications for a total contract price Rs. _____ (in figures) (Rupees _____ (in words), within the period specified in the invitations of quotation.

Name: _____

Signature: _____

Date: _____