



ಸೃ ಮುಕ್ತ ವಿಶ್ವವಿದ್ಯಾನಿಲಯ
ಮುಕ್ತಗಂಗೋತ್ರಿ, ಮೈಸೂರು-570006
ಇಂಜಿನಿಯರಿಂಗ್ ವಿಭಾಗ

No: KSOU/ES/37/2015-16

Date: 21.11.2020

ದರಪಟ್ಟಿ ಆಹ್ವಾನ ಪ್ರಕಟಣೆ

ವಿಷಯ: ವಿವಿಲಯ ಹಾಸನ ಪ್ರಾದೇಶಿಕ ಕೇಂದ್ರದ ಕಟ್ಟಡದಲ್ಲಿನ Transformer ದುರಸ್ತಿ ಮತ್ತು Circuit wiring ಹಾಗೂ DB Panel ಸ್ಥಳಾಂತರ ಮಾಡುವ ಸಂಬಂಧ ದರಪಟ್ಟಿ ಆಹ್ವಾನದ ಬಗ್ಗೆ

ಉಲ್ಲೇಖ: ಮಾನ್ಯ ಕುಲಪತಿಗಳ ಅನುಮೋದನೆ ದಿನಾಂಕ: 18.11.2020

ವಿವಿಲಯ ಹಾಸನ ಪ್ರಾದೇಶಿಕ ಕೇಂದ್ರದ ಕಟ್ಟಡದಲ್ಲಿನ Transformer ದುರಸ್ತಿ ಮತ್ತು Circuit wiring ಹಾಗೂ DB Panel ಸ್ಥಳಾಂತರ ಮಾಡಲು ಉದ್ದೇಶಿಸಲಾಗಿರುತ್ತದೆ.

ಈ ಹಿನ್ನೆಲೆಯಲ್ಲಿ ಈ ಕೆಳಕಂಡ ನಮೂದಿಸಿರುವ ವಿವಿಲಯ ಹಾಸನ ಪ್ರಾದೇಶಿಕ ಕೇಂದ್ರದ ಕಟ್ಟಡದಲ್ಲಿನ Transformer ದುರಸ್ತಿ ಮತ್ತು Circuit wiring ಹಾಗೂ DB Panel ಸ್ಥಳಾಂತರ ಮಾಡಲು ದರಪಟ್ಟಿಯನ್ನು ಆಹ್ವಾನಿಸಲಾಗಿದ್ದು ಸದರಿ ಕೆಲಸಗಳನ್ನು ನಿರ್ವಹಿಸಲು ನೋಂದಾಯಿತ ಮೂರನೆ ದರ್ಜೆ ಮೇಲ್ಪಟ್ಟ ವಿದ್ಯುತ್ ಗುತ್ತಿಗೆದಾರರ ಮುಖಾಂತರ ತಗಲುವ ವೆಚ್ಚದ ದರವನ್ನು (ನಿಯಮಾನುಸಾರ ಚಾಲ್ತಿ ವರ್ಷದ ತೆರಿಗೆಗಳನ್ನು ಒಳಗೊಂಡಂತೆ) ನಮೂದಿಸಿ ಮೊಹರು ಮಾಡಿದ ಲಕೋಟಿಯ ಮೇಲೆ “ವಿವಿಲಯ ಹಾಸನ ಪ್ರಾದೇಶಿಕ ಕೇಂದ್ರದ ಕಟ್ಟಡದಲ್ಲಿನ Transformer ದುರಸ್ತಿ ಮತ್ತು Circuit wiring ಹಾಗೂ DB Panel ಸ್ಥಳಾಂತರ ಮಾಡುವ ಸಂಬಂಧ ದರಪಟ್ಟಿ” ಎಂದು ನಮೂದಿಸಿ ಕುಲಸಚಿವರು, ಕರಾಮವಿ, ಮೈಸೂರು ಇವರಿಗೆ ಖುದ್ದಾಗಿ/ಅಂಚೆ ಮೂಲಕ ದಿನಾಂಕ: 10.12.2020ರ ಒಳಗೆ ಸಲ್ಲಿಸಲು ಕೋರಲಾಗಿದೆ.

Dear Sir,

Subject: Transformer repair and circuit wiring and DB Panel shifting at Hassan Regional Centre, KSOU

1. Sealed competitive quotation are invited by the undersigned for the following items of work.

Sl. No	Product Description	Unit	Qty.	Rate ₹	Amount ₹
1	Supplying and fixing of PVC casing and capping on the wall or ceiling using necessary materials like bends, junction box, elbows, screws at an interval of 25 mm etc. as required. Pg.03 Item no.1.8.2	Mtr.	50		
2	Supplying PVC/GI flexible conduit pipe 25 mm dia fixing on surface over inverted tapered wooden plugs or phill plugs or rawl plugs and clamped using heavy gauge saddles at an interval of 300 mm using NF screws and on either end of the pipe terminated completely. Pg.03 Item no.1.9.2	Mtr.	12		
3	Wiring for lighting/power circuit using one of FRLS PVC insulated 1100V grade, multistrand copper wire with low conductor resistance single core in open or concealed system of wiring with specified IS-694 confirming to latest amendments. Pg.5/6 Item no. a) 2.3.3 b) 2.3.4	Mtr. Mtr.	150 150		
4	Supplying and drawing 3 core flat PVC sheathed submersible pump cable manufactured with electrolytic grade copper with flexible copper with low resistance conductor confirming to IS 8130-1984 and virgin grade PVC insulation and powder coating extruded PVC sheathed suitable for working voltage upto 1100 Volts as per Pg.07 Item no.2.6.3	Mtr.	40		

	Description	Unit	Qty.	Rate ₹	Amount ₹
5	Supplying and flush mounting powder coated / galvanized metal box suitable for mounting modular switch plates. The box should be firmly flush mounted after due groove cutting in Brick/Stone/C.C.Wall Pg.09 Item no.3.4.5	Each	4		
6	Supplying and fixing superior quality modular switch mounting polycarbonate plate with necessary supporting back plate with required nos. of machine screws, bolts nuts etc. comple on the existing metal / PVC box Pg.09 Item no.3.5.5	Each	4		
7	Supplying and fixing of modular switch & connected accessories on existing modular switch plate as per IS 3854 and IS 1293 Pg.10 Item no.				
	a) 3.6.8	Each	16		
	b) 3.6.11	Each	16		
8.	Supplying and fixing miniature circuit breaker on existing MCB distribution boards using necessary fixing materials and 'C' type curve, indicator ON/OFF, energy cross-3 with Short circuit breaking capacity of 10K and complete wiring as required confirming of IEC 60898 Pg.27 Item no.				
	a) 5.17.1	Each	06		
	b) 5.17.9	Each	03		
9.	Supplying of 1.1 KV LT UG cable XLPE or heat resistant PVC insulated, PVC extruded Inner sheath armoured UG LT cable as per IS-1554 (Part-1) or or IS-7098 Part-1, armouring strip thickness in average +5% and resistivity 14 Ohms/Kms (max) as per IS-3975 Pg.40 Item no.6.4.5	Mtr.	40		
10.	Lobour charges for laying of 1.1 KV class UG cable in existing trench GI pipe/stoneware pipe / on wall / on pole required Pg.41 Item no.6.5.2	Mtr.	40		
11.	Supplying and fixing / replacing condenser for ceiling fan / MV / SV / MH and other luminaries. Pg.71 Item no.13.3.1	Each	04		
12.	Supplying tinned copper lugs and crimping and wiring to terminal point for wire of the following sizes Pg.43 Item no.				
	a) 6.17.7	Each	30		
	b) 6.17.3	Each	60		
13.	Supplying and fixing of heavy duty cable glands suitable for UG cable of 1.1 KV class (metal only) Pg.42 Item no.6.11.2	Each	06		
14.	Digging of trench of 06m deep x 050 mtr wide refilling the trench to the required ground level and consolidating etc. complete. (As per Civil SR KSRB I-2, P-7) Pg.41 Item no.6.6.2	Mtr	102		

	...er conductor for wires in conduit ...ary suitable size	Mtr.	50		
	clamps, nails, guttas / spacers etc. Pg.44 Item no.6.18.3				
16.	Supplying 7 fixing of PVC Cable Tray 100mm x 100mm	Mtr	30		
17.	Supplying and fixing of HT HFU 25 Amps fuse	No.	03		
				Total ₹	
				GST 12% ₹	
				GRAND TOTAL ₹	
(Rupees)	

2. Quoted Price:

- (a) The tendered shall quote for items in the format of quotation attached;
- (b) The specification should be drafted to permit the widest possible competition and at the same time present a clear statement of the required standards of workmanship, materials, and performances of the goods to be procured.
- (c) Reference to Brand name and catalogue number should be avoided as far as possible. Where unavoidable, they should be followed by the words 'or at least equivalent'.
- (d) All duties, taxes and other levies payable by the tendered (including tax on the finished goods) shall be included in the rate.
- (e) The rates quoted for each item shall be fixed for the duration of the contract and shall not be subject to any adjustment.
- (f) Rates for supply of partial quantity of an item are not acceptable.
- (g) Corrections if any shall be made by crossing out, initialing, dating and rewriting.
- (h) Cable of facsimile quotations are not acceptable.

3. Each tender must submit only one quotation

4. Evaluation of quotations

- (a) The purchaser will evaluate and compare the quotations determined to be substantially responsible i.e., which are properly signed, and conform to the terms and conditions and specifications in the following manner:
- (b) The evaluation would be done for all the items put together. The items for which no rates have been quoted would be treated as Zero and the total amount would be computed accordingly. Purchaser will award the contract to the responsive tenderer, whose total cost for all the items put together is the lowest.

5. Award of Contract:

- (a) The purchaser will be awarded the contract to the tenderer whose quotation has been determined to be substantially responsible and who has offered the lowest price as per para 4 (b) above.
- (b) The purchaser reserves the right at the time of contract award to increase or decrease the quantities of any or all of the items indicated in Para I 25% without any change in the unit price or any terms and conditions.
- (c) Normal commercial warranty/guarantee if available shall be applicable to the supplied goods;
- (d) Payment shall be made after the delivery of the goods and their acceptance.
- (e) Notwithstanding the above, the purchaser reserves the right to accept or reject any quotations and to cancel the quotation process and reject all quotations at any time prior to the award of the contract.

6. Last date and time of receipt of quotations:

 *Your complimentary use period has ended. Thank you for using PDF Complete.*

[Click Here to upgrade to Unlimited Pages and Expanded Features](#)

The sealed quotations super scribed on the envelope as on 10.12.2020 latest by 5.30 PM hours.

We look forward to receiving your quotations.

Registrar
KSOU, Mgm

Attachment: Schedule of Quotation Form

ಪ್ರತಿ:-

1. ವಿಶೇಷ ಅಧಿಕಾರಿಗಳು, ಮಾನ್ಯ ಕುಲಪತಿಗಳ ಕಾರ್ಯಾಲಯ ಕರಾಮುವಿ, ಮೈಸೂರು ರವರಿಗೆ ಮಾಹಿತಿಗಾಗಿ,
2. ಕುಲಸಚಿವರ ಆಪ್ತ ಸಹಾಯಕರು, ಕರಾಮುವಿ, ಮೈಸೂರು
3. ನಿರ್ದೇಶಕರು, ಐಟಿ ವಿಭಾಗ, ಕರಾಮುವಿ, ಮೈಸೂರು ರವರಿಗೆ ಈ ಪ್ರಕಟಣೆಯನ್ನು ವಿವಿಿನಿಯದ ಅಧಿಕೃತ ವೆಬ್‌ಸೈಟ್ ನಲ್ಲಿ ದಿನಾಂಕ 10.12.2020 ರವರೆಗೆ ಪ್ರಟಿಸಲು ತಿಳಿಸಲಾಗಿದೆ.
4. ಕಛೇರಿ ಪ್ರತಿ.

Registrar

Karnataka State Open University
Mukthagangotri, Mysuru – 06.

Dear Sir,

Subject: Transformer repair and circuit wiring and DB Panel shifting at Hassan Regional Centre, KSOU

1. Sealed competitive quotation are invited by the undersigned for the following items of work.

Sl. No	Product Description	Unit	Qty.	Rate ₹	Amount ₹
1	Supplying and fixing of PVC casing and capping on the wall or ceiling using necessary materials like bends, junction box, elbows, screws at an interval of 25 mm etc. as required. Pg.03 Item no.1.8.2	Mtr.	50		
2	Supplying PVC/GI flexible conduit pipe 25 mm dia fixing on surface over inverted tapered wooden plugs or phill plugs or rawl plugs and clamped using heavy gauge saddles at an interval of 300 mm using NF screws and on either end of the pipe terminated completely. Pg.03 Item no.1.9.2	Mtr.	12		
3	Wiring for lighting/power circuit using one of FRLS PVC insulated 1100V grade, multistrand copper wire with low conductor resistance single core in open or concealed system of wiring with specified IS-694 confirming to latest amendments. Pg.5/6 Item no. a) 2.3.3 b) 2.3.4	Mtr. Mtr.	150 150		
4	Supplying and drawing 3 core flat PVC sheathed submersible pump cable manufactured with electrolytic grade copper with flexible copper with low resistance conductor confirming to IS 8130-1984 and virgin grade PVC insulation and powder coating extruded PVC sheathed suitable for working voltage upto 1100 Volts as per Pg.07 Item no.2.6.3	Mtr.	40		
5	Supplying and flush mounting powder coated / galvanized metal box suitable for mounting modular switch plates. The box should be firmly flush mounted after due groove cutting in Brick/Stone/C.C.Wall Pg.09 Item no.3.4.5	Each	4		
6	Supplying and fixing superior quality modular switch mounting polycarbonate plate with necessary supporting back plate with required nos. of machine screws, bolts nuts etc. complete on the existing metal / PVC box Pg.09 Item no.3.5.5	Each	4		
7	Supplying and fixing of modular switch & connected accessories on existing modular switch plate as per IS 3854 and IS 1293 Pg.10 Item no. a) 3.6.8 b) 3.6.11	Each Each	16 16		

8.	ON/OFF, energy cross-3 with Short circuit breaking capacity of 10K and complete wiring as required confirming of IEC 60898 Pg.27 Item no. a) 5.17.1 b) 5.17.9	Each Each	06 03		
9.	Supplying of 1.1 KV LT UG cable XLPE or heat resistant PVC insulated, PVC extruded Inner sheath armoured UG LT cable as per IS-1554 (Part-1) or or IS-7098 Part-1, armouring strip thickness in average +5% and resistivity 14 Ohms/Kms (max) as per IS-3975 Pg.40 Item no.6.4.5	Mtr.	40		
10.	Lobour charges for laying of 1.1 KV class UG cable in existing trench GI pipe/stoneware pipe / on wall / on pole required Pg.41 Item no.6.5.2	Mtr.	40		
11.	Supplying and fixing / replacing condenser for ceiling fan / MV / SV / MH and other luminaries. Pg.71 Item no.13.3.1	Each	04		
12.	Supplying tinned copper lugs and crimping and wiring to terminal point for wire of the following sizes Pg.43 Item no. a) 6.17.7 b) 6.17.3	Each Each	30 60		
13.	Supplying and fixing of heavy duty cable glands suitable for UG cable of 1.1 KV class (metal only) Pg.42 Item no.6.11.2	Each	06		
14.	Digging of trench of 06m deep x 050 mtr wide refilling the trench to the required ground level and consolidating etc. complete. (As per Civil SR KSRB I-2, P-7) Pg.41 Item no.6.6.2	Mtr	102		
15.	Supplying and running GI/Copper conductor for grounding and (along with other wires in conduit system of wiring) using necessary suitable size clamps, nails, guttas / spacers etc. Pg.44 Item no.6.18.3	Mtr.	50		
16.	Supplying 7 fixing of PVC Cable Tray 100mm x 100mm	Mtr	30		
17.	Supplying and fixing of HT HFU 25 Amps fuse	No.	03		
			Total ₹		
			GST 12% ₹		
(Rupees			GRAND TOTAL ₹)	

Gross Total Cost Rs. _____ (in figures)

Rs. _____ (in words)

We agree to execute the above said work in accordance with the technical specifications for a total contract price Rs. _____ (in figures) (Rupees _____ (in words),

within the period specified in the invitations of quotation.

Name: _____

Signature: _____

Date: _____