



ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮುಕ್ತ ವಿಶ್ವವಿದ್ಯಾನಿಲಯ

ಮುಕ್ತಗಂಗೋತ್ರಿ, ಮೈಸೂರು-570006

ಇಂಜಿನಿಯರಿಂಗ್ ವಿಭಾಗ

No: KSOU/ES/12/2020-21

Date: 23.12.2020

ದರಪಟ್ಟಿ ಆಹ್ವಾನ ಪ್ರಕಟಣೆ

ವಿಷಯ: ಕರಾಮುವಿ ವಿವಿಲಯದ ಆವರಣದಲ್ಲಿರುವ ಸ್ಪರ್ಧಾತ್ಮಕ ಪರೀಕ್ಷಾ ಕೇಂದ್ರಕ್ಕೆ ಮೂಲಭೂತ ಸೌಕರ್ಯವನ್ನು ಒದಗಿಸುವ ಬಗ್ಗೆ

ಉಲ್ಲೇಖ: ಮಾನ್ಯ ಕುಲಪತಿಗಳ ಅನುಮೋದನೆ ದಿನಾಂಕ: 21.12.2020

ವಿವಿಲಯದ ಆವರಣದಲ್ಲಿರುವ ಸ್ಪರ್ಧಾತ್ಮಕ ಪರೀಕ್ಷಾ ಕೇಂದ್ರಕ್ಕೆ ಮೂಲಭೂತ ಸೌಕರ್ಯವನ್ನು ಒದಗಿಸಲು ಉದ್ದೇಶಿಸಲಾಗಿರುತ್ತದೆ.

ಈ ಹಿನ್ನೆಲೆಯಲ್ಲಿ ಈ ಕೆಳಕಂಡ ನಮೂದಿಸಿರುವ ವಿವಿಲಯದ ಆವರಣದಲ್ಲಿರುವ ಸ್ಪರ್ಧಾತ್ಮಕ ಪರೀಕ್ಷಾ ಕೇಂದ್ರಕ್ಕೆ ಮೂಲಭೂತ ಸೌಕರ್ಯವನ್ನು ಒದಗಿಸಲು ದರಪಟ್ಟಿಯನ್ನು ಆಹ್ವಾನಿಸಲಾಗಿದ್ದು ಸದರಿ ಕೆಲಸಗಳನ್ನು ನಿರ್ವಹಿಸಲು ತಗಲುವ ವೆಚ್ಚದ ಕನಿಷ್ಠ ದರವನ್ನು (ನಿಯಮಾನುಸಾರ ಚಾಲ್ತಿ ವರ್ಷದ ತೆರಿಗೆಗಳನ್ನು ಒಳಗೊಂಡಂತೆ) ನಮೂದಿಸಿ ಮೊಹರು ಮಾಡಿದ ಲಕೋಟೆಯ ಮೇಲೆ "ವಿವಿಲಯದ ಆವರಣದಲ್ಲಿರುವ ಸ್ಪರ್ಧಾತ್ಮಕ ಪರೀಕ್ಷಾ ಕೇಂದ್ರಕ್ಕೆ ಮೂಲಭೂತ ಸೌಕರ್ಯವನ್ನು ಒದಗಿಸುವ ಸಂಬಂಧದ ದರಪಟ್ಟಿ" ಎಂದು ನಮೂದಿಸಿ ಕುಲಸಚಿವರು, ಕರಾಮುವಿ, ಮೈಸೂರು ಇವರಿಗೆ ಖುದ್ದಾಗಿ/ಅಂಚೆ ಮೂಲಕ ದಿನಾಂಕ: 27.01.2021 ರ ಒಳಗೆ ತಪ್ಪದೆ ಸಲ್ಲಿಸಲು ಕೋರಲಾಗಿದೆ.

Dear Sir,

Subject: Supplying and fixing the steel door, vertical blinds, repairing the wooden and aluminum doors and other petty work in Competitive Examination Centre at KSOU, MGM

1. Sealed competitive quotation is invited by the undersigned for the following items of work.

Sl. No	Description	No	L	B	D	Qty.	Amount
1.	M.S Door of size 1.05x2.10 Providing and fixing factory made single leaf rigid GRP Sandwich composite door shutter of 32mm thick, laminated with two GRP skins with wood grain finish, fabricated using U.V-stabilized Isophthalic Gelcoat and on layer of 45 gsm E-Glass Chopped strand Mat (CSM), impregnated with orthophthalic polyester resin. The thickness of the skins shall not be less than 1.5mm. Expanded Polystyrene (EPS) structural foam panel of 29mm thickness and a density of 20 Kg/m ³ shall be used as core material. Wooden reinforcements made of Seasoned Salwood block of cross section not less than 28mmx32mm and also necessary salwood reinforcements for fixing the metal fittings such as tower bolts, aldrops, handles, etc, shall be provided. A structural adhesive compatible with EPS foam shall be used for bonding the core material, the Salwood reinforcement and the skins. The material and process for					1.05x2.10=2.20 Sqm	2

Sl. No	Description	No	L	B	D	Qty.	Amount
	manufacturing the door shutters shall confirm to Standards and specifications and the door shutters tested in confirmation to IS 4020-1994. The finish of shutter will be plain colour White/Ivory/Beige/Light Grey or any other colour using high quality pigments. Excluding cost of fixtures and inclusive of supply of shutters to respective work spot						
2.	Supplying and fixing the velvet cloth to notice board and polishing the abound wooden frames of size 1.05mx0.70mtr including material, labour etc					2 no.	
3.	Vertical Blinds for Windows Providing and fixing 100mm wide venetian blinds of window fashion fabric of Taiwan make, with 50mm thick powder coated channel with balance, imported, acrylic self-alienable mechanism and equally placed spacers, imported tilting mechanism for easy tilting operation, with nylon imported thread and beadings, 100mm wide imported washable reusable fabric placed with top hanger and bottom with 100mm long bottom plate connected to nylon imported bottom link chain. The rate is inclusive of drilling holes for fixing channels to the wall, fixing threads and beadings and link chains, hard ware fixtures etc., complete as per drawing, specifications.						
			6x2.40x1.50=21.60 sqm				
4	Wash Basin Providing and fixing white vitreous china clay, flat back wash basin size 550x400mm with a pair of 15mm C.P brass pillar taps with C.I / M.S brackets, 32 mm C.P. brass waste of standard pattern, painting of fittings and brackets, cutting and making good the wall and floor wherever required, including cost of materials, labour complete as per specifications					2 no.	
5.	Mirror Providing and fixing 600x450mm bevelLead edge mirror of superior glass with 6mm hard board backing and fixed to wooden cleats with C.P screws, washers, including cost of materials, labour complete as per specifications.)					1 no.	
6.	Taps Providing and fixing in position brass bib cock of approved quality 15mm nominal bore including cost of all materials, labour and HOM of equipments with all leads complete as per specifications.					10 no's	

Sl. No	Description	No	L	B	D	Qty.	Amount
7.	Towel Rod Providing and fixing C.P. brass towel rail 600 mm length, 20mm dia with C.P brackets, fixed to wooden cleats with C.P. brass screws including cost of materials, labour complete as per specifications.					1 no.	
8.	Glass Shelf Providing and fixing 600x120mm glass shelf supported on alluminium angle frame with C.P brass brackets, guard rail fixed to wooden cleats with C.P. brass screws and washers including cost of materials, labour complete as per specifications.					1 no.	
9	Removing and refixing the wood doors using the necessary fixtures including all materials fixtures and labour etc.					2 nos.	
10	Removing and refixing the aluminum door using the necessary fixtures including all materials fixtures & labours etc.					2 nos.	
11	Supplying and fixing the waste couplings for the wash basin with materials and labours etc.					4 nos.	
12	Supplying and fixing the urinal coupling for the urinals with materials and labours etc.					3 nos.	
						Sub Total 1 `	
						Add GST @ 12% `	
						Sub Total 2 `	
						Grand Total `	

2. Quoted Price:

- (a) The tendered shall quote for items in the format of quotation attached;
- (b) The specification should be drafted to permit the widest possible competition and at the same time present a clear statement of the required standards of workmanship, materials, and performances of the goods to be procured.
- (c) Reference to Brand name and catalogue number should be avoided as far as possible. Where unavoidable, they should be followed by the words 'or at lease equivalent'.
- (d) All duties, taxes and other levies payable by the tendered (including tax on the finished goods) shall be included in the rate.
- (e) The rates quoted for each item shall be fixed for the duration of the contract and shall not be subject to any adjustment.
- (f) Rates for supply of partial quantity of an item are not acceptable.
- (g) Corrections if any shall be made by crossing out, initialing, dating and rewriting.
- (h) Cable of facsimile quotations are not acceptable.

3. Each tender must submit only one quotation

4. Evaluation of quotations

- (a) The purchaser will evaluate and compare the quotations determined to be substantially responsible i.e., which are properly signed, and conform to the terms and conditions and specifications in the following manger:
- (b) The evaluation would be done for all the items put together. The items for which no rated have been quoted would be treated as Zero and the total amount would be computer accordingly. Purchaser will award the contract to the responsive tenderer, whose total cost for all the items put together is the lowest.

5. Award of Contract:

- (a) The purchaser will be award the contract to the tenderer whose quotation has been determined to be substantially responsible and who has offered the lowest price as per para 4 (b) above.
- (b) The purchaser reserve the right at the time of contract award to increase or decrease the quantities of any or all of the items indicated in Para I 25% without any change in the unit price or any terms and conditions.
- (c) Normal commercial warranty/guarantee if available shall be applicable to the supplied goods;
- (d) Payment shall be made after the delivery of the goods and their acceptance.
- (e) Notwithstanding the above, the purchaser reserves the right to accept or reject any quotations and to cancel the quotation process and reject all quotations at any time prior to the award of the contract.

6. Last date and time of receipt of quotations:

You are requested to submit the sealed quotations super scribed on the envelope as "Quotations for the above due date on 27.01.2021 latest by 5.30 PM hours.

We look forward to receiving your quotations.

By Order

Registrar

Attachment: Schedule of Quotation Form

ಪ್ರತಿ:-

1. ವಿಶೇಷ ಅಧಿಕಾರಿಗಳು, ಮಾನ್ಯ ಕುಲಪತಿಗಳ ಕಾರ್ಯಾಲಯ ಕರಾಮುವಿ, ಮೈಸೂರು ರವರಿಗೆ ಮಾಹಿತಿಗಾಗಿ,
2. ಕುಲಸಚಿವರ ಆಪ್ತ ಸಹಾಯಕರು, ಕರಾಮುವಿ, ಮೈಸೂರು
3. ನಿರ್ದೇಶಕರು, ಐಟಿ ವಿಭಾಗ, ಕರಾಮುವಿ, ಮೈಸೂರು ರವರಿಗೆ ಈ ಪ್ರಕಟಣೆಯನ್ನು ವಿವಿಿನಿಯದ ಅಧಿಕೃತ ವೆಬ್‌ಸೈಟ್ ನಲ್ಲಿ ದಿನಾಂಕ 27.01.2021 ರವರೆಗೆ ಪ್ರಟಿಸಲು ತಿಳಿಸಲಾಗಿದೆ.
4. ಕಛೇರಿ ಪ್ರತಿ.

To,

Registrar

Karnataka State Open University

Mukthagangotri, Mysuru – 06.

Dear Sir,

Subject: Supplying and fixing the steel door, vertical blinds, repairing the wooden and aluminum doors and other petty work in Competitive Examination Centre at KSOU, MGM

1. **Sealed competitive quotation is invited by the undersigned for the following items of work.**

Sl. No	Description	No	L	B	D	Qty.	Amount
1.	M.S Door of size 1.05x2.10 Providing and fixing factory made single leaf rigid GRP Sandwich composite door shutter of 32mm thick, laminated with two GRP skins with wood grain finish, fabricated using U.V-stabilized Isophthalic Gelcoat and on layer of 45 gsm E-Glass Chopped strand Mat (CSM), impregnated with orthophthalic polyester resin. The thickness of the skins shall not be less than 1.5mm. Expanded Polystyrene (EPS) structural foam panel of 29mm thickness and a density of 20 Kg/m ³ shall be used as core material. Wooden reinforcements made of Seasoned Salwood block of cross section not less than 28mmx32mm and also necessary salwood reinforcements for fixing the metal fittings such as tower bolts, aldrops, handles, etc, shall be provided. A structural adhesive compatible with EPS foam shall be used for bonding the core material, the Salwood reinforcement and the skins. The material and process for manufacturing the door shutters shall confirm to Standards and specifications and the door shutters tested in confirmation to IS 4020-1994. The finish of shutter will be plain colour White/Ivory/Beige/Light Grey or any other colour using high quality pigments. Excluding cost of fixtures and inclusive of supply of shutters to respective work spot		1.05x2.10=2.20 Sqm			2	
2.	Supplying and fixing the velvet cloth to notice board and polishing the abound wooden frames of size 1.05mx0.70mtr including material, labour etc					2	
3.	Vertical Blinds for Windows Providing and fixing 100mm wide						

Sl. No	Description	No	L	B	D	Qty.	Amount
	venetian blinds of window fashion fabric of Taiwan make, with 50mm thick powder coated channel with balance, imported, acrylic self-alienable mechanism and equally placed spacers, imported tilting mechanism for easy tilting operation, with nylon imported thread and beadings, 100mm wide imported washable reusable fabric placed with top hanger and bottom with 100mm long bottom plate connected to nylon imported bottom link chain. The rate is inclusive of drilling holes for fixing channels to the wall, fixing threads and beadings and link chains, hard ware fixtures etc., complete as per drawing, specifications.						
			6x2.40x1.50=21.60 sqm				
4	Wash Basin Providing and fixing white vitreous china clay, flat back wash basin size 550x400mm with a pair of 15mm C.P brass pillar taps with C.I / M.S brackets, 32 mm C.P. brass waste of standard pattern, painting of fittings and brackets, cutting and making good the wall and floor wherever required, including cost of materials, labour complete as per specifications					2 no.	
5.	Mirror Providing and fixing 600x450mm bevelLead edge mirror of superior glass with 6mm hard board backing and fixed to wooden cleats with C.P screws, washers, including cost of materials, labour complete as per specifications.)					1 no.	
6.	Taps Providing and fixing in position brass bib cock of approved quality 15mm nominal bore including cost of all materials, labour and HOM of equipments with all leads complete as per specifications.					10 no's	
7.	Towel Rod Providing and fixing C.P. brass towel rail 600 mm length, 20mm dia with C.P brackets, fixed to wooden cleats with C.P. brass screws including cost of materials, labour complete as per specifications.					1 no.	
8.	Glass Shelf Providing and fixing 600x120mm glass shelf supported on alluminium angle frame with C.P brass brackets, guard rail fixed to wooden cleats with C.P. brass screws and washers including cost of materials, labour complete as per specifications.					1 no.	
9	Removing and refixing the wood doors using the necessary fixtures including all materials fixtures and labour etc.					2 nos.	
10	Removing and refixing the aluminum door using the necessary fixtures including all materials fixtures & labours etc.					2 nos.	

11	Supplying and fixing the waste couplings for the wash basin with materials and labours etc.			4 nos.	
12	Supplying and fixing the urinal coupling for the urinals with materials and labours etc.			3 nos.	
				Sub Total 1 `	
				Add GST @ 12% `	
				Sub Total 2 `	
				Grand Total `	

Gross Total Cost Rs. _____ (in figures)

Rs. _____ (in words)

We agree to execute the above said work in accordance with the technical specifications for a total contract price Rs. _____ (in figures) (Rupees _____ (in words), within the period specified in the invitations of quotation.

Name: _____

Signature: _____

Date: _____